

Deep Excavation Tie-Back Wall Case History Analysis

1 Introduction

The International Conference on Geotechnical and Geological Engineering was held in Melbourne, Australia in November 2000. The conference is referred to here as GeoEng2000.

At the conference, a series of invited keynote lectures were presented. One of the keynote lectures was titled, *Computing and Computer Modelling in Geotechnical Engineering*. This keynote paper was prepared by J.P. Carter, C.S. Desai, D.M. Potts, H.F. Schweiger and S.W. Sloan. Highlights of the paper were presented at the conference by John Carter, Challis Professor, Department of Civil Engineering, University of Sydney, Sydney, NSW, Australia. (a printed version of the paper is in the conference proceedings, Volume 1 (Keynote Papers), pages 1157 to 1252.

One of the topics of this keynote paper was *Validation and Calibration of Computer Simulations*. This section describes some of the work by the German Society for Geotechnics, which has worked on establishing some benchmark problems for validating numerical analyses. One of the benchmark examples is about the construction of a tie-back wall for a deep excavation in Berlin.

Part of the numerical validation program included holding a typical analysis competition. Information about the project was made available to those wishing to model the construction and make a prediction of the wall performance. The lateral wall deflection was measured with an inclinometer and the main objective was to see if the analyst could predict the lateral wall deflection. The measured results were not made available to the analyst until the end of the competition. A total of 15 organizations (universities and consulting companies) participated.

The objective here is to demonstrate that SIGMA/W can be used to do this type of analysis. More specifically, the objectives are to:

- Demonstrate that SIGMA/W has sufficient features and capabilities to simulate the construction sequence.
- Illustrate the procedures and techniques that are required to obtain close agreement between the predicted and measured wall deflections.
- Highlight the key modeling issues in a situation like a tie-back wall with pre-stressed anchors.

2 Configuration and setup

Figure 1 shows a schematic diagram of the tie-back wall. The natural site conditions consist of sand throughout, with the water table 3 m below the ground surface.

Basically, the design involves constructing a diaphragm wall, excavating down 16.8 m in four stages and tying the wall back with three rows of pre-stressed anchors.




Figure 1 Schematic of the Berlin tie-back wall

3 Geometric dimensions

When analyzing a field problem like this, it is usually adequate to round-off the dimensions. For this analysis, a decision was made to work to the nearest metre. In the context of the accuracy with which the material properties can be defined, there is no value in refining the dimensions to the nearest tenth of a metre, for example. Moreover, it is highly unlikely that the contractor can make an excavation exactly to 14.35 m below the ground surface.

Good modeling practice dictates that the problem should not be unnecessarily complicated.

4 Diaphragm Wall

The properties of the diaphragm wall were specified as:

$$E = 30,000 \text{ MPa} = 30,000,000 \text{ kPa} = 3 \times 10^7 \text{ kPa (typical of concrete)}$$

$$\text{Poisson's ratio } \nu = 0.15$$

$$\text{Unit weight } \gamma = 24 \text{ kN/m}^3$$

From a SIGMA/W analysis perspective, it is the flexural (bending) stiffness of the wall that is important. This stiffness is best included as beam elements.

The parameters for the beam elements are:

$$E = 3 \times 10^7 \text{ kPa}$$

$$\text{Cross sectional area} = 0.8 \times 1.0 = 0.8 \text{ m}^2 \text{ (thickness of wall is 0.8 m)}$$

$$I \text{ (moment of inertia)} = bh^3 / 12 = 1.0 \times 0.8^3 / 12 = 4.3 \times 10^{-2} \text{ m}^4$$

The difference between the wall and soil unit weight is ignored in the analysis. Poisson's ratio is also not required for a beam type element in SIGMA/W.

5 Anchor Bars

The anchors are steel bars about 43.7 mm (1.75 inches) in diameter. The cross sectional area was specified as 15 cm². This equals 1500 mm² or 1.5 x 10⁻³ m² (all length units in SIGMA/W must be the same; in this case metres).

$$E = 2.1 \times 10^8 \text{ kPa} = 210 \times 10^6 \text{ kPa} = 210 \text{ GPa (similar to structural steel).}$$

The horizontal spacing of the anchors along the wall is shown on the diagram in Figure 1 **Error! Reference source not found.**

For a 2-D analysis, the actual pre-stress forces must be specified per unit width of wall. The pre-stress anchor forces for the SIGMA/W analysis consequently are:

$$\text{Row 1: } 334 \text{ kN}$$

$$\text{Row 2: } 700 \text{ kN}$$

$$\text{Row 3: } 726 \text{ kN}$$

The force in a bar relative to the strain is,

$$F = E A \frac{\Delta L}{L} \text{ where } E \text{ is the stiffness modulus, } A \text{ is the cross-sectional area, and } (\Delta L/L) \text{ is the strain. If}$$

the anchor force F is to be normalized per unit length of wall (1 unit into the page) then the right side of the equation also needs to be normalized per unit length of wall. Both sides of the equation need to be divided by the anchor spacing. Either E or A on the right side can be divided by the spacing. In this example, the cross-sectional area A is divided by the spacing.

6 Soil Properties

The soil at this Berlin site is medium dense sand with the following specified properties:

$$\phi' = 35 \text{ degrees}$$

$$\gamma = 19 \text{ kN/m}^3$$

$$K_o = 1 - \sin \phi = 1 - \sin 35 = 0.43$$

The submerged unit weight was specified as 10 kN/m³. If γ_w is taken as 10 kN/m³, then the saturated (below water table) unit weight is 20 kN/m³. The difference between the above and below water table unit weights (if indeed there is any) was ignored in this analysis. A total unit weight of 20 kN/m³ was used throughout for the insitu conditions. Any small variations in unit weight are of little consequence in this analysis and approximate values are more than adequate.

The soil stiffness is a critical parameter in this analysis. It is the most difficult parameter to characterize and yet it has the greatest influence on the results. Some data was presented to the competition participants but the analysts were free to use and judge any data and information available to them, including other published results and experiences from other similar projects.

The suggested Young's modulus for the sand was:

$$E = 20,000 \times z^{0.5} \text{ (square root) for the first 20 m below the ground surface, and}$$

$$E = 60,000 \times z^{0.5} \text{ below the top 20 m.}$$

This represents an increase in stiffness with depth, as illustrated in Figure 2. The sudden jump in stiffness at the 20 m level seems unrealistic. This is likely not representative of actual conditions. A more gradual transition is more likely.




Figure 2 Specified variation of soil stiffness (E) with depth

While some information was provided on the soil stiffness properties, it was the intention that the competition participants would exercise their judgment as to appropriate values. The competition criteria did not require that the analysts use the values suggested.

With the above as a guide, the E-modulus function adopted for this analysis is shown in Figure 3. The distribution is a function of the overburden. The minimum E-modulus near the ground surface is 35,000 kPa, and then increases with depth (overburden) to about 20 m (400 kPa) below the ground surface. Below that, the E-modulus transitions to the stiffer sand at depth. The maximum value at the base of the problem is 465,000 kPa.




Figure 3 Soil stiffness (E) as a function of the overburden stress

7 Hydraulic barrier

The purpose of the hydraulic barrier is not clear from the information provided. The likely purpose is to prevent water from flowing up into the excavation. If this is true, then it can be assumed that the ground behind the wall remains saturated and the water table elevation does not change. The water table is only lowered inside the excavation. This is a key assumption when it comes to determining the pressure on the wall.

In this analysis, the hydraulic barrier is assumed to have a constant E-modulus of 100,000 kPa.

8 Initial insitu stresses

One of the key issues in an analysis like this is the initial insitu stress state. The wall performance is strongly related to the pressures the wall needs to retain, and this is directly related to the stresses in the ground before construction starts.

The first step therefore is to do an Insitu-type of analysis.

In SIGMA/W the earth pressure at rest K_o is control through Poisson's ratio ν . Recall that for a 2-D plane-strain analysis,

$$K_o = \frac{\nu}{(1-\nu)}$$

K_o can be estimated from

$$K_o = 1 - \sin \phi'$$

For $\phi' = 35$ degrees $K_o = 0.43$ and for K_o equal to 0.43, the equivalent ν is equal to 0.3.

The total unit weight is 20 kN/m^3 , and the water table is 3 m below the ground surface. The unit weight of water is rounded-off to 10 kN/m^3 .

Figure 4 shows the horizontal (x) total and effective stresses along a vertical profile.

The effective horizontal stress at the bottom of the profile should be approximately:

$$(20 \text{ kN/m}^3 \times 60 - 10 \text{ kN/m}^3 \times 57) \times 0.43 = 271 \text{ kPa}$$

The total horizontal stress should be $271 + (10 \text{ kN/m}^3 \times 57) = 841 \text{ kPa}$

Both match the values at the bottom of the graphs in Figure 4.




Figure 4 Total and effective horizontal stress profiles

The effective stress profile near the ground surface curves to the right. This is due to the negative pore-pressures (suction) above the water table. At the bottom, the effective stress profile bends back (stress becomes less). This is due to the use of 4-noded quadrilateral elements and constant stress and pore-pressure in the elements. This edge-effect is inherent in 4-noded elements. It does not have any significant affect on the numerical results.

9 Simulation of excavation process

During the excavation, it will be assumed for analysis purposes that the dewatering will be such that the water table is always at the excavation level. In other words, the excavation process removes both the soil and water at the same time.

The excavation process is simulated in a finite element analysis by applying forces on the excavation face equal but in the opposite direction to, the forces present before removing the soil. It is the total stress that goes to zero on the excavation face. Stated another way, it is the total stress that acts behind the wall after excavation. By removing the total stress, the excavation simulation accounts for both the soil pressure and the water pressure.

The competition participants were asked to simulate the dewatering down to 17.9 m before removing any soil, even though this was not the procedure used during the actual construction. This separate dewatering step is not included in this analysis here. It is not trivial to simulate dewatering from a stress change point of view and the effect is relatively small on the overall lateral movement of the wall. The effort involved

is not warranted in this case. Furthermore, considering the dewatering to take place as excavation proceeds is closer to what actually happens during the construction.

The reason for asking the competition participants to do this initial dewatering step is not clear considering its minor effect on the wall lateral movement.

The total pressure acting along the top 17 m of the wall prior to making the excavation is shown in Figure 5. Once the soil has been removed on the left, the shoring system will be subject to this pressure.

Figure 6 shows the same profile if the water table is ignored in the insitu analysis. Note that the pressure is substantially less.




Figure 5 The total lateral pressure profile at the wall location when the water table is included




Figure 6 The total lateral pressure profile at the wall location when the water table is not included

The area under the curves in the above two figures is an approximation of the total lateral force that will act on the shoring system. When the water table is included, the total force is about 1870 kN per metre of wall (into the page); without the water table in the insitu analysis the total force is around 1230 kN.

This illustrates how the effect of the groundwater comes into the analysis, and how the pore-pressure affects the lateral pressure on the wall.

Viewing these pressure diagrams provides a good reference picture for later interpreting and judging the results.

It is of interest that the sum of the anchor pre-stress forces is close to the total wall force represented by the above pressure diagram. The sum of the anchor pre-stress forces per metre of wall is 1760 kN; the total force represented by the wall pressure is 1870 kN, as noted earlier. This being the case, we should expect relative small wall displacements. (It would be interesting know whether the designers gave this consideration when the anchor system was established).

The total lateral stress along the profile of the wall as given in Figure 5 follows a hydrostatic distribution. The pressure at the 43-m level is 220 kPa. If we assume that the pressure distribution is linear, then the rate of increase is about 13 kPa per metre with depth. This information is used in the SIGMA/W boundary condition that represents the removal of the insitu lateral stress acting on the wall. In SIGMA/W, the rate of increase is specified as -13; the negative sign indicates that the stress is, in essence, pulling on the wall.

The unloading at the base of the excavation is simulated with a y-pressure boundary condition. One y-stress boundary condition represents the removal of 3 m, and the other represents a removal of 2 m.

The application of the excavation boundary conditions is illustrated in Figure 7 when the soil between Elevation 50 and 47 is removed.




Figure 7 An illustration of the applied excavation boundary conditions

SIGMA/W has two procedures for simulating the removal of soil. One procedure is as used here in this example, where the excavation forces are applied as specific boundary conditions. The other procedure is to allow SIGMA/W to compute the excavation forces based on the stress state in the ground before the soil is removed. This second alternative works well for excavations with inclined side slopes – it does not work as well for cases with a vertical wall where there are high stress concentration at the base corners of the of the excavation. It is for this reason that the second alternative is not recommended for use in a case like a tie-back wall. Using specified boundary conditions as described above is the recommended procedure.

10 Problem configuration

Figure 8 shows the problem configuration used in the analysis. The details can be viewed and studied by opening the related data file.




Figure 8 The Berlin tie-back wall configuration

11 Analysis steps

The analysis steps are:

- Step 1: Establish the insitu stress state conditions
- Step 2: Excavate 3 m down to 57 (depth 3 m)
- Step 3: Excavate 2 m down to 55 m (depth 5 m)
- Step 4: Install and pre-stress the upper anchor
- Step 5: Excavate 3 m down to 52 (depth 8 m)
- Step 6: Excavate 2 m down to 50 (depth 10 m)
- Step 7: Install and pre-stress the middle anchor
- Step 8: Excavate 3 m down to 47 (depth 13 m)
- Step 9: Excavate 2 m down to 45 (depth 15 m)

The interaction between the wall and the soil is modeled with interface elements in SIGMA/W. These elements make it possible to allow for some slippage between the wall and the soil. In this case the interface material is treated as an elastic-plastic material with a reduced strength.

Note that the interface is treated as a relatively thin slip zone, as opposed to a very thin slip surface. This is better practically and numerically. Moreover, in reality, it is unlikely that a paper-thin slip surface would actually form in the field – a thin slip zone is much more likely.

SIGMA/W also has ‘slip elements.’ These elements tend to be numerically unstable in a case like this where forces pull on the wall to simulate the excavation process. The use of the slip elements is not recommended in a case like this; something like a thin zone of elastic-plastic material with a reduced strength is a better option.

12 Starting linear-elastic analysis

In a case like this it is always good modeling practice to start with a linear-elastic analysis. This makes it possible to sort out all procedures, steps and boundary conditions without complicating the analysis with numerical convergence issues. It also provides a good reference point against which to judge the final results.

It is always good to remember that if it is not possible to achieve a reasonable solution using linear-elastic soil properties, then it is highly unlikely that it will be possible to get a reasonable solution using elastic-plastic properties. As a minimum, the trends should be acceptable using linear-elastic properties. The actual displacements may not be all that accurate but the trends should be correct.

13 Computed Lateral Displacements

Figure 10 shows the lateral displacements for the first two excavation stages and the installation of the upper anchor. Removing the first 3 m, the wall moves out (to the left) and then moves further out when the next 2 m are excavated (Day 2). When the upper anchor is pre-stressed, the wall is pulled back. In fact, the wall is pulled back beyond the initial position.

This is rather curious at first, but is logical when the pre-stress force is compared with the lateral confining force removed by excavating the upper 5 m. Referring back to the lateral pressure diagram in figure, the pressure at the 5-m depth is about 50 kPa. The area under the pressure diagram is around $50/2 \times 5 = 125$ kN. This represents the lateral force on the wall by removing the first 5 m. The pre-stress force, however, is 334 kN, more than twice the force removed. This is the reason why the wall is being pulled to the right beyond the initial starting position.




Figure 10 Lateral wall deflections resulting from two excavations and the pre-stress of the upper anchor

The wall then again moves out (left) as the next two excavation stages take place and then is again pulled back when the middle anchor is pre-stressed on Day 6, as shown in Figure 11.




Figure 11 Lateral wall deflections for three excavations and the pre-stress of the middle anchor

Figure 12 shows the wall deflections for the last four stages. The maximum computed displacement is around 18 mm and occurs just below the base of the final excavation elevation (y-coordinate = 43). The maximum displacement actually occurs before the lower anchor is installed (Day 8).




Figure 12 Lateral wall deflections for two excavations, pre-stress of the lower anchor and the last excavation

At this stage, it is encouraging to note that the trends in the deflected wall shape and maximum displacement are not unlike what was measured, as will be discussed in more detail below.

14 Elastic-plastic soil properties

Having obtained reasonable results using linear-elastic properties for the sand, it was decided to move on to repeating the analysis using elastic-plastic properties for the sand. The strength properties used are $c=10$ kPa (mostly for numerical stability purposes) and $\phi=35$ degrees. The same parameters are used for the interface material.

Figure 13 shows the wall deflections for the last four stages when elastic-plastic properties are used. Comparing Figure 13 with Figure 12 above reveals that there is virtually no difference between a linear-elastic and an elastic-plastic analysis. This is logical, considering that the displacements and strains are small and that the anchor forces are essentially equivalent to the total lateral stress removed from the wall. It is reasonable, therefore, that there is little yielding.




Figure 13 Lateral wall deflections when using linear-elastic soil properties but no reduced strength for the interface material

15 Slip along wall

It is difficult to imagine that there will be slippage between the wall and surrounding soil, considering the movements are so small. Nonetheless, an analysis was done where the interface material was given a lower strength and a lower E-modulus. The phi value was reduced to 25 degrees and the E-modulus was set at a constant 10,000 kPa. This has the effect of creating a softer interface material than the surrounding soil.

This results in a slight off-set in the vertical displacement in the lower corner of the excavation, as shown in Figure 14.




Figure 14 Off-set of the upward movement on either side of the wall when interface elements with a reduced strength are used

Figure 15 shows the wall deflection profiles when the interface material is given softer properties. Comparing this with previous figures reveals that the lateral displacements are slightly larger – about 3 mm.




Figure 15 Lateral wall deflection when interface elements with a reduced stiffness and strength are used

16 Competition results

Figure 16 shows the best predictions presented by the competition participants. Three other predictions showed much larger lateral deflections – up to 225 mm. These are not included in the figure. Even the 11 best predictions presented in Figure 16 show considerable scatter. Most of the scatter can be attributed to the adopted soil stiffness properties. Of further interest is the fact that many of the competition participants used the same commercially available computer code and used the same constitutive soil model. This further demonstrates that the predictions are very closely tied to the specified soil properties and not so much to the software and associated constitutive model.

Superimposed on Figure 16 is the actual measured wall deflection. At the top of the wall, the deflection is about 10 mm. The maximum deflection is just over 20 mm and occurs at about mid-height of the wall, 10 m below the ground surface.




Figure 16 The published completion results and actual measured deflection profile

It is interesting to note that, in the measured deflection profile, the value is zero at the bottom of the wall. The reason for this is unknown. Did the wall base actually not move, or was the inclinometer data not corrected for possible movement at the bottom? Most of the computed profiles in Figure 16 show some displacement at the base, which is what often happens in cases like this. For the measured profile to show zero displacement at the base makes one think that the inclinometer data was not corrected for base movement. If the inclinometer data was corrected for base movement, then the measured displacement profile may be shifted to the left slightly and fall more in the middle of the computed results in Figure 16.

Of more significance than the magnitude of the displacement is the shape of the deflection profile. Most of the competition deflection profiles have a shape not unlike that of the measured profile.

17 SIGMA/W comparison

Figure 17 compares the measured wall deflection with the SIGMA/W computed deflections upon completion of the excavation. The maximum lateral deflection is in essence identical – just over 20 mm. The SIGMA/W computed deflection at the ground surface is 10 mm, which also matches the measured deflection. At the base of the excavation the SIGMA/W deflection is somewhat higher than the indicated measurement; the difference is only about 7 mm.

All factors considered, the SIGMA/W deflection profile is remarkably close to the actual measured profile, particularly the shape of the profile. In the context of all the parameters involved and the accuracy with which the soil properties can be characterized, the computed and measure profiles are, for all practical purposes, identical.




Figure 17 Final measured and SIGMA/W-computed deflection profiles

Figure 18 shows the SIGMA/W computed deflection profile on the published information discussed earlier. Once again, the SIGMA/W deflections are close to the measured values. Moreover, the SIGMA/W profile shows the best match with the measured deflection profile amongst all the other deflection profiles presented by the competition participants. It could be argued that this is not surprising, since the measured profile was known prior to doing the SIGMA/W analysis. Still, the SIGMA/W results and profile fall within the range presented by others, and is as good or better than the others.




Figure 18 SIGMA/W-computed deflections relative to the completion results

18 Wall bending moments

A key component in the design of a retaining wall like this is the maximum bending moments.

Figure 19 shows the bending moment variations during the construction of the shoring system. This is an illustration of the type of data available from this type of SIGMA/W analysis.




Figure 19 Wall bending moments




Figure 20 Wall bending moments for the last four construction stages

Of considerable significance is the observation that the maximum moments do not occur when the last material is excavated. The maximum moment occurs on Day 8, not on Day 10 when the last material is removed, as exhibited in Figure 20. This is typical of this type of shoring system.

19 Forces in Anchors

Figure 21 shows the forces in the free (unbonded) length of the upper anchor. The starting force is -334 kN (negative indicates tension) which is the pre-stress. The force in the bar increases as the next two layers are excavated, but then decreases as the middle anchor is pre-stressed. Then the tension in the bar again increases as the excavation proceeds, and again slightly decreases when the lower anchor is pre-stressed. Finally, the force in the bar is close to the initial design pre-stress force.

The middle and lower anchor exhibit similar behavior.

Again the important response demonstrated here is that the force in the bars varies during the construction sequencing and the maximum may not occur at the end of the excavation.




Figure 21 Forces in the upper anchor

20 Surface movements

Figure 22 shows the movement (exaggerated 20x) of the soil outside the excavation. Basically, the movement results from rebound due to the unloading. In the exaggerated view, it looks like the rebound is significant, but in actual fact it is relatively small. The maximum at the excavation base is only about 0.1 m (100 mm).

The rebound along the excavation base is, of course, not evident at the actual site, since the excavators keep removing materials to the design elevation.

Of more significance and interest is the rebound of the ground surface just outside of the wall. Usually, a major concern is the settlement that often occurs behind the retaining wall. The analysis results seem to suggest that it is not an issue. At a first glance, it would seem that the numerical model has not provided the correct response. Upon further reflection, however, it is reasonable that the soil will rebound when it is unloaded. Why does the modeling not match the observed field behavior?

One aspect of shoring wall construction that the modeling does not capture is the loss of ground behind the wall. This can be particularly problematic in a pile-lagging system, where portions of the excavation face are exposed for a period of time before the lagging is installed. Furthermore, there may be some settlement before the lagging picks up the load; that is, slack in the system.




Figure 22 Surface movements

In the case of a carefully constructed diaphragm wall where there is likely little or no loss of ground behind the wall, there may indeed be a slight amount of rebound outside of the wall, but in the field it may be too small to be noticeable.

The apparent uplift is not evident in the numerical results if the excavation base upward pressure relief is ignored in the analysis. Ignoring the up base uplift, however, results in a deflection profile that does not match the measured deflection, as discussed below. To match the measured deflection, it is necessary to consider the base rebound, indicating it should not be ignored.

As a very broad principle in this industry, more expensive shoring systems like diaphragm walls are used in cases where settlement outside the wall is a major concern. Less expensive systems like piles with lagging are used when settlement is less of a concern. The point is that the potential for settlement is related to the shoring system behavior and the installation procedures. The modeling unfortunately cannot capture this aspect of the shoring behavior.

From a modeling perspective, the results should not be dismissed because of the small rebound behind the wall. The results related to aspects like lateral deflections and structural stresses are useful in the shoring design.

21 Without the uplift on excavation base

It could be argued that only the removal of the lateral insitu forces on the wall are important in the wall behavior, and that the vertical uplift forces can be ignored. However, ignoring the uplift forces related to removing the soil results in significantly different deflection profiles, as illustrated in Figure 23.




Figure 23 Wall deflection profiles when the base excavation uplift is ignored

The magnitudes of the deflections are less, but the shape does not match the measured wall deflection as shown earlier in Figure 15. This mismatch indicates that it is important and essential to include the uplift along the excavation base.

Based on the deflection profiles presented by the competition participants as shown in Figure 16 on the left side of the plot, it appears that some of them may have only applied the lateral unloading forces and ignored the base uplift forces.

22 Concluding remarks

The two most important aspects of an analysis like this are:

- The numerical modeling techniques and procedures, and
- The soil properties.

The numerical modeling techniques and procedures should be developed using linear-elastic properties. A solution is always available, since it does not involve convergence difficulties associated with non-linear constitutive relationships. It is essential to obtain a reasonable solution from a linear-elastic analysis before moving onto a non-linear analysis. If you cannot obtain a reasonable solution using linear-elastic properties, then it is highly unlikely you will obtain a reasonable solution using non-linear properties.

The actual wall deflection will be directly related to the soil properties specified. In this case, it was possible to obtain good agreement between the measured and computed wall deflection because the actual deflections were known ahead of time. The material properties could be adjusted until a good agreement

was obtained. In actual project work this is, of course, not the case. In the end, the computed predictions are only as good as the certainty with which the soil properties can be defined, and the analysis results must always be interpreted in this context.

The value in modeling a case like this is not so much in predicting the exact magnitude of the wall deflections, as it is in getting the correct shape and form of the deflection. Being able to predict the correct shape and form of the wall deflection infers a good understanding of the wall behavior and the key issues in the wall performance.

The need for and value of using more sophisticated non-linear constitutive relationships are questionable in a case like this. If it is deemed necessary, such an advanced analysis should only be done after obtaining reasonable results using a linear-elastic analysis. This makes it possible to create a model with, for example, the correct boundary conditions and loading sequences without having to deal with convergence. It is always important to start simple and then move to the complex, especially in a case like a tie-back wall.

This analysis demonstrates that SIGMA/W has all the features and capabilities necessary to simulate the staged construction of a tie-back retaining wall with pre-stressed anchors.